

# **Facility & Waste Operations Division**

**Contract Management Program Office**

**Sam Subbaswamy 665-3006**

**October 8, 2003**

- ✓ Standards – Necessary
- ✓ Safety – Mandatory

## ✓ STANDARDS

✓ LANL is a very large complex.

- Approximately
  - 43 square miles of land
  - 50 active technical areas
  - 1400 cranes
  - 700 air conditioners
  - 900 115 kv transformers
  - 85 miles of paved roads
  - 153 miles of utility water lines, etc, etc.
  - 600 Small & Big Research Programs

✓ Efficient and Economical long term maintenance demands  
**Standardization**


## SAFETY

TRC – Total Restricted Cases

DART – Days Away Restricted or Transferred

LANL Combined TRC and DART

Twelve Month Running  
Rate UC, KSL, and  
PTLA Contractors  
ending 31 August 2003



## ✓ SAFETY

- ✓ SAFETY is Extremely Important to LANL
  - Safety of every worker at LANL –  
both LANL employees & all Subcontractors including their Sub-tier contractors is mandatory.
  - Sub-tier contractors personnel - “the worker with the shovel in hand”
    1. must be aware of the hazards.
    2. be knowledgeable about safe practices
    3. ensure “Safe work execution” at all times

## ✓ Safety is Mandatory